

1 SQ 1-110



: 96510193

3"

.t : 0,15 / : 35 °C  
: 998.2 / <sup>3</sup> : 20 °C

: 10700 /


: 1 <sup>3</sup>/<sub>127</sub>  
: CE,UL,CUL  
- : ISO9906:2012 3B

: Polyamide /  
DIN W.-Nr. 1.4301  
AISI 304



: DIN W.-Nr. 1.4301  
AISI 304



**96510193 SQ 1-110 50**



		SQ 1-110
		96510193
EAN	:	5700396504025
	:	805,08 UER
	:	
	:	10700 /
	:	1 3/
	:	127
	:	7
	:	CE,UL,CUL
	:	ISO9906:2012 3B
	:	96080393
	:	B
	:	
	:	
	:	Polyamide /
	:	
	:	DIN W.-Nr. 1.4301
	:	AISI 304
	:	
	:	
	:	DIN W.-Nr. 1.4301
	:	AISI 304
	:	
	:	Rp 1 1/4
	:	76
	:	
	:	
	:	35 °C
t	0,15 /	35 °C
	:	20 °C
	:	998.2 / <sup>3</sup>
	:	
	:	MS3
	- P1:	1.65
	- P2:	1.15
	:	50 Hz
	:	1 x 200-240
	:	8.4 A
	:	1.00
	:	10700 /
	:	
	(IEC 34-5):	IP68
	(IEC 85):	F
	:	Y
	:	
	:	1.5
	:	96160851
	:	
CU 300/CU 301:		
	:	
	:	5.7
	:	6
	:	0.01 <sup>3</sup>



	:	EU/S-AMREG/APRE G
Danish VVS No.:		388431510
Norwegian NRF no.:		9041306
C	:	MX
	:	8413702900