

1 UPS 15-60 130



: 96281471

-  
-  
-  
-  
-

, PES/PP.

1-

: 2 .. 110 °C  
: 60 °C  
: 983.2 / 3

TF

: 110  
: VDE,AAA,EAC

EN-JL1030  
ASTM 30 B  
, PES/PP


.T : - 80 0C: 40 °C

: 10  
: G 1  
: PN 10  
: 130


:  
1: 50  
2: 60

. : 70  
: 50 Hz  
: 1 x 230  
1: 0.22 A  
2: 0.27 A  
3: 0.3 A  
- : 2.5  
(IEC 34-5): IP44  
(IEC 85): F  
  
: 2.3  
( ): 2.5  
: 0.004 °  
C : RS  
: 8413703000

**96281471 UPS 15-60 130 50**



		UPS 15-60 130
		96281471
EAN	:	5700830458259
		5700830458259
		84,00 UER
		3
		60
TF	:	110
		VDE,AAA,EAC
		EN-JL1030
		ASTM 30 B
		, PES/PP
80 0C:	T	40 °C
		10
		G 1
		PN 10
		130
		2 .. 110 °C
		60 °C
		983.2 / ³
1:		50
2:		60
		70
		50 Hz
		1 x 230
		1: 0.22 A
		2: 0.27 A
		3: 0.3 A
		2.5
		(IEC 34-5): IP44
		(IEC 85): F
		9H
		2.3
		2.5
		0.004 ³
C	:	RS
		8413703000



96281471 UPS 15-60 130 50

